

Custom Shower Workbook



THE BOLD LOOK
OF **KOHLER**®

The Art of Personalized Water Delivery

The perfect shower. It starts with one of life's basic and essential elements – H₂O. But where do you go from there? With KOHLER® performance showering components, the options are virtually endless. If you can dream it ... we can make it a reality.

A KOHLER custom shower can transform water from a gentle rain to a profound downpour, or a tumbling waterfall to a relaxing mist. The water can come from above, below, front, back, with nearly limitless combinations for an experience tailored to your exacting specifications.

And that's just the water part. Enjoy singing in the shower? With KOHLER, you can now sing with a full orchestra accompanying you. Today's KOHLER performance showers deliver a total sensory experience. So, go ahead ... immerse yourself in hydro-rejuvenation. Music. Steam. Lighting. Even aromatherapy. All according to your needs and desires. With KOHLER, you'll have complete control over your showering environment and experience. And what an experience it will be!

This guide will take you through all the wonderful options and components available to you, in a simple, step-by-step format. Start with water. Add imagination. And let KOHLER do the rest.

Table of Contents

The Steps to a Perfect Shower	3
Digital Performance Showering	4
KOHLER Valves	5
Shower Planner	6-7
Essentials Packages	8-9
Luxury Packages	10-11
Unwind Featuring DTV™ II	12
Downpour Featuring DTV II	13
Envelop Featuring DTV	14
Frontage Featuring DTV	15
Surround Featuring DTV	16
Linear Featuring DTV	17
Duet	18-19
Passion	20-21
Immersion with Steam	22-23
Unwind with Steam	24-25
Downpour	26-27
Envelop	28-29
Hydro-Massage	30-31
Design Your Own Custom Shower	32-35

The Steps to a Perfect Shower

1. **Dream.** What's your idea of the perfect shower? Really think about it. Do you shower in the morning, evening, mid-afternoon? What's the purpose – relaxation, invigoration, or does it all depend on the kind of day you're having? How many people will be using the shower? Remember, each user has a unique set of preferences that you will want to consider. If you can dream it, Kohler can probably build it – across an incredibly accommodating range of budgets.
2. **Take some measurements.** Your Kohler design representative will need to know the space requirements, so measure the floor, walls and ceiling. Put it in a sketch, if you can, showing the overall layout and where you might want the components. Will it be a corner installation or an alcove? What kind of enclosure and floor? Also, be sure to check the drain. A custom shower could require a 3-inch drain or a couple of 2-inch drains.
3. **Check your water heater and water pressure.** A 10-minute high-performance shower may use more water than a standard shower. So check your hot water heater specs and write them down. Your water pressure should be at least 45 psi, and you'll need ¾-inch supplies. KOHLER® performance showering components are compatible with well/pump systems, as long as they can provide sufficient water pressure. If you need help verifying your water pressure, please consult a licensed plumber or contractor.
4. **Weigh your options.** Start with the overall experience. Look at DTV™ Custom Showering Experience with its incredible combinations of water, sound, light and steam delivery. Peruse our custom configurations. Consider a steam shower and the temperature and duration of the steam. Then look at all the components – showerheads, bodysprays and don't forget the handshowers. Consider finish options, trim, doors, receptors and shower storage and seating. Kohler has everything you need to create the perfect shower – with all components fully coordinated, both in terms of design aesthetic and function.
5. **Get online.** Experience gracious living at KOHLER.com/customshowering.
6. **See your Kohler design representative.** Bring your sketches, thoughts and dreams. He or she will answer all your questions, show you the products and systems, go through your options, offer suggestions and guide you on the right path to your perfect shower.



a. DTV II media module
K-638-K-NA

b. DTV six-port thermostatic valve
K-682-K-NA

Digital Performance Showering. Unprecedented Hydrotherapy.

DTV™ custom shower system began with the advanced delivery of water via a digitally controlled system that has taken residential showering to a whole new level. DTV II adds music, ambient lighting, chromatherapy and steam to provide each bather with a complete sensory experience in the shower. Its sleek, intuitive digital interface controls all of these luxurious amenities – which you can personalize to suit your needs with the simple touch of a button.



Valve Technology. Taken to a Higher Power.

A KOHLER® performance shower, with its network of products and sprays, provides a wonderful experience for a homeowner. And a very demanding experience for a valve. Fact is, it takes serious mechanics to drive a modern shower – to maintain consistent flow and temperature across multiple, synchronized showerheads, handshowers and bodysprays. KOHLER shower valves are more than up to the task. They deliver up to 21 gallons of water per minute, enough to support even the most complex showers, including his and hers configurations. They provide incredibly accurate temperature control and safety protection. And they're taking installation to whole new levels of ease, flexibility and confidence.

DTV™ Custom Shower System

Featuring a state-of-the-art, six-port thermostatic valve and an easy-to-use, digital soft-touch interface, DTV custom shower system by Kohler eliminates the need for multiple knobs and valve handles and allows the homeowner to create a personalized shower at the touch of a button.

DTV Six-Port Thermostatic Valve

Using leading-edge technology, the KOHLER® six-port thermostatic valve allows users to create a spa-like environment in their homes. With six user presets and one-touch control outlets, designing a custom shower is incredibly easy. With its high flow rate of 21 gpm and six water ports, elaborate custom shower configurations are entirely within the realm of possibility.

DTV II Media Module

Beyond mere hydrotherapy, DTV II is capable of controlling sound, chromatherapy and a personalized steam component for a comprehensive sensory experience. A digital “bridge” in the form of the media module combines all the elements, which are ultimately controlled by the intuitive, simple-to-use digital interface.

Digital Interface*

The one-piece interface design enables the user convenient control of the menu-based navigation system. Six user presets allow for one-touch access to saved experiences, including options for hydro-massage and temperature-based showering programs. And with the option for an auxiliary interface, users can program the perfect experience before taking their first step into the shower.

MasterShower® XVII Thermostatic Valve

A KOHLER thermostatic mixing valve controls the temperature. A separate volume control valve manages the flow. A simple concept that gives the user total control over the shower environment. Set the temperature and it stays there, automatically adjusting to changes in pressure and temperature. These thermostatic valves deliver a big 17.2 gpm flow rate, and their innovative shuttle design delivers precise, consistent temperature control at the full range of flow rates. A 104°F factory-calibrated comfort setting and a high-temperature limit stop provide satisfaction, safety and flexibility for those who want a slightly higher temperature, up to a maximum of 120°F.

MasterShower XVII Stacked Thermostatic Valve

This arrangement features separate temperature and volume controls, but because the valves are housed together, a clean, simple look is created. Everything is right there in one easy-to-use assembly. Same ease of control over temperature and volume as the MasterShower XVII thermostatic valve, same safety features as the MasterShower XVII thermostatic valve.



K-8034
WaterTile® Ambient Rain-
overhead showering panel



K-682-K
Six-Port Thermostatic Valve



K-638-K
Media Module



K-684
Digital Interface



K-669-KS
MasterShower XVII
Thermostatic Valve



K-670-KS
MasterShower XVII
Stacked Thermostatic Valve

*A digital interface is required to operate the DTV six-port thermostatic valve.

Volume Control Valve*

With a KOHLER® volume control valve, each individual water outlet can have its own flow control. Showerheads, handshowers and bodysprays. Choose any combination or run all of the components at the same time.



K-671-K
Volume Control Valve

3-Way Transfer Valve**

Used in conjunction with a stacked thermostatic valve or a HiFlow Rite-Temp® pressure-balancing valve, the 3-way transfer valve allows you to put the water exactly where you want it. Just turn the handle and choose from any combination of two components or any one component by itself. You can combine showerheads with bodysprays or handshowers with fixed showerheads. The choice is yours.



K-687-K
3-Way Transfer Valve

HiFlow Rite-Temp Pressure-Balancing Valve

The HiFlow Rite-Temp pressure-balancing valve does not require a volume control. One handle controls the flow and temperature. This valve maintains a consistent temperature, within a range of $\pm 3^{\circ}\text{F}$ and shuts off automatically if the cold water supply is interrupted. The adjustable high-temperature limit stop provides an extra level of safety.



K-306-KS
HiFlow Rite-Temp Valve

K-Joint

KOHLER trim for thermostatic valves, volume controls and transfer valves comes with the innovative K-joint installation method. The exclusive K-joint attaches to the valve stem and compensates for behind-the-wall rough-in variability without compromising the appearance of the trim.



K-Joint

Steam Generator

Kohler offers steam generators in sizes 5 -30 kW, meeting a variety of spatial constraints. Incredibly versatile, they can be installed anywhere within 25 feet of the shower, as long as the required servicing access is established. Piping from the generator to the steam enclosure may be routed up and then down, but not down and then up. It is also very important to ensure that the steamhead is not installed directly below the controller or where the user will be standing when activating the unit.



K-1708
7 kW Fast-Response™
Steam Generator

Receptors

Kohler offers a variety of receptors in a wide range of sizes, designs and materials. KOHLER Cast Iron shower receptors feature an ultra-thick layer of enamel that resists staining, scratching and chipping, and offer a gorgeous, high-gloss finish in a wide array of glorious colors. Or choose a beautiful acrylic or fiberglass receptor to accommodate your functional and aesthetic preferences.



K-9055-FT
Salient™ Receptor

Shower Locker™ and Seating

KOHLER storage systems are available in different styles, colors and configurations. Constructed of aluminum or acrylic, their dimensions go up to 60-inches tall and 15-inches wide. You have a choice of fixed or removable shelves, some with cutouts for razors, brushes and other items. Each option is recessed and flush-mounted to fully complement your showering environment without intruding on the space. Add a coordinated, built-in acrylic KOHLER seat and your shower experience will be relaxing, comfortable and sophisticated – just the way you wanted it.




K-1842
Echelon™ Shower Locker


*A volume control valve is required to operate the MasterShower® XVII thermostatic valve.

**A transfer valve is not required to operate a MasterShower XVII stacked thermostatic valve or a HiFlow Rite-Temp pressure-balancing valve. It is recommended only for controlling outputs in multiple component showers employing those mixing valves.








Essentials Performance Showering Packages



An ideal choice for those looking to upgrade the master bath or secondary bathroom, Essentials Performance Showering Packages by Kohler offer increased functionality and simplify both the ordering and installation processes.



Essentials Performance Showering Components

 <p>Forté Rite-Temp. Valve Trim</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>Forté Multifunction Showerhead</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>Revival. 3-Way Relaxing Handshower</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>MasterShower Showerarm with Diverter</p> <p>Qty. 1</p> <p>Item 1</p>
 <p>MasterShower 60" Metal Shower Hose</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>Slide Bar with Bancroft Trim and Escutcheons</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>Rite-Temp Pressure-Balancing Valve</p> <p>Qty. 1</p> <p>Item 2</p>	

Showering Trim Package Options*

Devonshire® K-10825

Fairfax® K-10826

Forté® K-10827 (shown to the left)

Bancroft™ K-10828

Step #1 – Select Your	Product	Quantity	Price
(1) Performance Showering Package	K-	_____	\$_____
Step #2			
(2) Valve Package	K-304-K-NA	_____	\$_____
			Total \$ _____


Note: Remember, for each product combination you need to order two SKUs: one for the components behind the wall; the other for the components in front.

*Available Finishes: Polished Chrome (CP) and Vibrant® Brushed Nickel (BN)

Luxury Performance Showering Packages



Luxury Performance Showering Packages by Kohler give you everything you need for a complete personalized showering experience with the added benefit of being incredibly easy to order. Kohler's 3-way transfer valve allows users to put water just where they want it, and innovative WaterTile® bodysprays provide tremendous installation flexibility. These components were configured to work together, taking the guesswork out of creating the perfect custom shower.



Luxury Performance Showering Components

 <p>Slide Bar with Bancroft® Trim and Escutcheons</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>Devonshire® Rite-Temp® Valve Trim</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>Devonshire Transfer Valve Trim</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>Bancroft Multifunction Showerhead</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>5³/₈" Showerarm and Flange</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>Bancroft Multifunction Handshower</p> <p>Qty. 1</p> <p>Item 1</p>
	 <p>Supply Elbow</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>WaterTile® 54-Nozzle Bodyspray</p> <p>Qty. 3</p> <p>Item 1</p>	 <p>MasterShower® 60" Metal Shower Hose</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>HiFlow Rite-Temp Valve</p> <p>Qty. 1</p> <p>Item 2</p>	 <p>³/₄" 3-Way Transfer Valve</p> <p>Qty. 1</p> <p>Item 2</p>

Showering Trim Package Options*

Devonshire K-10855-4 (shown to the left)

Fairfax® K-10856-4

Forté® K-10857-4

Bancroft K-10858-4

Purist® K-10853-4


Step #1 – Select Your	Product	Quantity	Price
(1) Performance Showering Package	K-	_____	\$_____
Step #2			
(2) Valve Package**	K-693-K	_____	\$_____
			Total \$_____

Note: Remember, for each product combination you need to order two SKUs: one for the components behind the wall; the other for the components in front.

*Available Finishes: Polished Chrome (CP) and Vibrant® Brushed Nickel (BN)

**Recommend 45 psi, ³/₄" supplies and at least 80-gallon water heater.

Unwind Featuring DTV™ II




K-8034
54-Nozzle WaterTile®
Ambient Rain™
Showering Panel
Qty. 1

Item 1



K-449
Memoirs®
Showerhead with
Stately Design
Qty. 1

Item 2



K-8003
WaterTile
22-Nozzle
Bodyspray
Qty. 3

Item 3




K-419
Memoirs
Single-Function
Handshower
Qty. 1

Item 4




K-427
Memoirs
Wall-Mount
Supply Elbow
Qty. 1

Item 4



K-1840
Pilaster™
Shower Locker™
Qty. 1

Item 6




K-422
Memoirs Adjustable
Wall-Mount
Bracket
Qty. 1

Item 4




K-9514
MasterShower®
60" Metal
Shower Hose
Qty. 1

Item 4




K-695
Digital Interface
Qty. 1

Item 5



K-682-K
DTV Six-Port
Thermostatic
Valve
Qty. 1


Item 5



K-638-K
Media Module
Qty. 1


Item 5

Downpour Featuring DTV™ II




K-8034
54-Nozzle WaterTile[®]
Ambient Rain™
Showering Panel
Qty. 1

Item 1




K-8003
WaterTile
22-Nozzle
Bodyspray
Qty. 3

Item 2




K-14425
Purist, Multifunction
Showerhead,
Arm and Flange
Qty. 1

Item 3




K-695
Digital Interface
Qty. 1

Item 4




K-682-K
DTV Six-Port
Thermostatic
Valve
Qty. 1

Item 4



K-638-K
Media Module
Qty. 1

Item 4




K-10122
Rain Showerhead
with Traditional
Design
Qty. 1

Item 1



K-10124
90° Showerarm
and Flange
Qty. 1

Item 1



K-8002
WaterTile®
54-Nozzle
Bodyspray
Qty. 4

Item 2



K-973
Stillness®
Multifunction
Handshower
Qty. 1

Item 3



K-976
Stillness
Wall-Mount
Supply Elbow
Qty. 1

Item 3



K-975
Stillness Adjustable
Wall-Mount
Bracket
Qty. 1

Item 3




K-9514
MasterShower®
60" Metal
Shower Hose
Qty. 1

Item 3




K-684
Digital Interface
Qty. 1

Item 4



K-682-K
DTV Six-Port
Thermostatic
Valve
Qty. 1

Item 4




K-14418 Purist®
Single-Function
Showerhead,
Arm and Flange
Qty. 3

Item 1




K-8509
MasterShower®
3-Way
Bodyspray
Qty. 4

Item 2



K-684
Digital Interface
Qty. 1

Item 3




K-682-K
DTV Six-Port
Thermostatic
Valve
Qty. 1





Item 3













K-1842
Echelon™
Shower Locker™
Qty. 1

Item 4



 <p>K-8022 WaterTile.[®] 54-Nozzle Showerhead Qty. 3</p> <p>Item 1</p>	 <p>K-8003 WaterTile 22-Nozzle Bodyspray Qty. 3</p> <p>Item 2</p>	 <p>K-684 Digital Interface Qty. 1</p> <p>Item 3</p>	 <p>K-682-K DTV Six-Port Thermostatic Valve Qty. 1</p> <p>Item 3</p>
--	--	---	---



 <p>K-8023 WaterTile® 22-Nozzle Showerhead Qty. 2</p> <p>Item 1</p>	 <p>K-8022 WaterTile 54-Nozzle Showerhead Qty. 1</p> <p>Item 2</p>	 <p>K-8002 WaterTile 54-Nozzle Bodyspray Qty. 3</p> <p>Item 3</p>	 <p>K-973 Stillness® Multifunction Handshower Qty. 1</p> <p>Item 4</p>	 <p>K-976 Stillness Wall-Mount Supply Elbow Qty. 1</p> <p>Item 4</p>	 <p>K-975 Stillness Adjustable Wall-Mount Bracket Qty. 1</p> <p>Item 4</p>	 <p>K-9514 MasterShower® 60" Metal Shower Hose Qty. 1</p> <p>Item 4</p>
 <p>K-684 Digital Interface Qty. 1</p> <p>Item 5</p>	 <p>K-682-K DTV Six-Port Thermostatic Valve Qty. 1</p> <p>Item 5</p>					





Duet



Two can enjoy all the exhilaration of custom showering without competing for space. Plus, this dual shower design provides the ultimate shower experience for an individual user.



Duet Components – Forté®


 <p>K-10284 Forte Multifunction Showerhead Qty. 2</p> <p>Item 1</p>	 <p>K-16133 Revival® Showerarm Qty. 2</p> <p>Item 1</p>	 <p>K-10286 Forté Multifunction Handshower Qty. 2</p> <p>Item 2</p>	 <p>K-355 Forte Supply Elbow Qty. 2</p> <p>Item 2</p>	 <p>K-8524 Slide Bar Qty. 2</p> <p>Item 1</p>	 <p>K-9514 MasterShower® 60" Metal Shower Hose Qty. 2</p> <p>Item 2</p>	 <p>K-1842 Echelon™ Shower Locker™ Qty. 1</p> <p>Item 6</p>
 <p>K-8002 WaterTile® 54-Nozzle Bodyspray Qty. 6</p> <p>Item 3</p>	 <p>K-T10304-4M Finial® Traditional Transfer Valve Trim Qty. 2</p> <p>Item 4</p>	 <p>K-687-K MasterShower ¾" 3-Way Transfer Valve Qty. 2</p> <p>Item 4</p>	 <p>K-T10302-4M Finial Traditional Stacked Valve Trim Qty. 2</p> <p>Item 5</p>	 <p>K-670-KS MasterShower XVII ¾" Stacked Thermostatic Valve Qty. 2</p> <p>Item 5</p>		

Step #1 – Select Your	Product	Quantity	Price
(1) Showerheads	K-	_____	\$ _____
(1) Showerarms	K-	_____	\$ _____
Step #2			
(2) Handshowers	K-	_____	\$ _____
(2) Slide bars	K-	_____	\$ _____
(2) Supply elbows	K-	_____	\$ _____
(2) Shower hoses	K-	_____	\$ _____
Step #3			
(3) Bodysprays	K-	_____	\$ _____
	K-	_____	\$ _____
Step #4			
(5) Stacked thermostatic valves	K-	_____	\$ _____
(5) Stacked thermostatic valve trim	K-	_____	\$ _____
(4) 3-way transfer valves	K-	_____	\$ _____
(4) Transfer valve trim	K-	_____	\$ _____
	K-	_____	\$ _____
Step #5			
(6) Shower Locker unit	K-	_____	\$ _____
			Total \$ _____










Passion



Designed for those who are passionate about performance showering, this configuration boasts water experiences that create gentle rain from overhead, a soothing cascade over the shoulders and stimulating hydrotherapy across the back.



Passion Components – Memoirs®

 <p>K-8030 WaterTile® Rain Overhead Showering Panel Qty. 1</p> <p>Item 1</p>	 <p>K-8022 WaterTile 54-Nozzle Showerhead Qty. 3</p> <p>Item 2</p>	 <p>K-T10423-3S Memoirs Volume Control Valve Trim with Stately Design Qty. 3</p> <p>Item 3</p>	 <p>K-671-K 3/4" Volume Control Valve Qty. 3</p> <p>Item 3</p>	 <p>K-8003 WaterTile 22-Nozzle Bodyspray Qty. 3</p> <p>Item 4</p>	 <p>K-T10421-3S Memoirs Valve Trim with Stately Design Qty. 1</p> <p>Item 5</p>	 <p>K-669-KS MasterShower® XVII 3/4" Thermostatic Valve Qty. 1</p> <p>Item 5</p>	
 <p>K-T10422-3S Memoirs Stacked Valve Trim with Stately Design Qty. 1</p> <p>Item 6</p>	 <p>K-670-KS MasterShower XVII 3/4" Stacked Thermostatic Valve Qty. 1</p> <p>Item 6</p>						


Step #1 – Select Your	Product	Quantity	Price
(2) Showerheads	K-	_____	\$ _____
Step #2			
(1) Showering Panel	K-	_____	\$ _____
(4) Bodysprays	K-	_____	\$ _____
	K-	_____	\$ _____
Step #3			
(5) Thermostatic valve	K-	_____	\$ _____
(5) Thermostatic valve trim	K-	_____	\$ _____
(3) Volume control valves	K-	_____	\$ _____
(3) Volume control valve trim	K-	_____	\$ _____
	K-	_____	\$ _____
(6) Stacked thermostatic valve	K-	_____	\$ _____
(6) Stacked thermostatic valve trim	K-	_____	\$ _____
	K-	_____	\$ _____

Total \$ _____

Immersion with Steam



This configuration offers the indulgent, overhead hydrotherapy that only a Rain showerhead can create. Combine that with three of the innovative WaterTile bodysprays and a Stillness multifunction handshower to create luxurious hydro-rejuvenation. Installed behind the wall, a Fast-Response steam generator will help relax your mind and body. A recessed storage system eliminates clutter and offers coordinated style.



Immersion Components – Stillness®



K-10121
Rain Showerhead
with Contemporary
Design
Qty. 1

Item 1



K-7396
3" Ceiling-Mount
Showerarm
and Flange
Qty. 1

Item 1




K-973
Stillness
Multifunction
Handshower
Qty. 1

Item 2



K-9514
MasterShower®
60" Metal Shower
Hose
Qty. 1

Item 2




K-976
Stillness
Wall-Mount
Supply Elbow
Qty. 1

Item 2




K-8524 Slide Bar
K-974 Stillness
Escutcheons
(not shown)
Qty. 1

Item 2



K-1840
Pilaster™
Shower Locker™
Qty. 1

Item 6



K-T10944-4
Stillness Transfer
Valve Trim
Qty. 1

Item 3



K-687-K
MasterShower
¾" 3-Way
Transfer Valve
Qty. 1

Item 3



K-T950-4
Stillness Rite-Temp®
Pressure-Balancing
Valve Trim
Qty. 1

Item 4



K-306-KS
HiFlow Rite-Temp
Pressure-Balancing
Valve
Qty. 1

Item 4



K-8002
WaterTile®
54-Nozzle
Bodyspray
Qty. 3

Item 5



K-1647-PC
Steam Generator
Control Kit
Qty. 1



K-1708
7 kW*
Fast-Response™
Steam Generator
Qty. 1

* See steam sizing chart on pg. 22 of the custom showering spec guide to properly size your system generator.


Step #1 – Select Your	Product	Quantity	Price
(1) Showerhead	K-	_____	\$ _____
(1) Showerarm	K-	_____	\$ _____
Step #2			
(2) Handshower	K-	_____	\$ _____
(2) Slide bar	K-	_____	\$ _____
(2) Escutcheons	K-	_____	\$ _____
(2) Supply elbow	K-	_____	\$ _____
(2) Shower hose	K-	_____	\$ _____
Step #3			
(5) Bodysprays	K-	_____	\$ _____
Step #4			
(4) Pressure-balancing valve	K-	_____	\$ _____
(4) Pressure-balancing valve trim	K-	_____	\$ _____
(3) 3-way transfer valve	K-	_____	\$ _____
(3) Transfer valve trim	K-	_____	\$ _____
Step #5			
(6) Shower Locker unit	K-	_____	\$ _____
Steam generator control kit	K-	_____	\$ _____
Steam generator	K-	_____	\$ _____

Total \$ _____
















Unwind with Steam



The ultimate in relaxation, the Unwind configuration features a state-of-the-art Rain showerhead in the ceiling, a Purist® showerhead and three soothing WaterTile® bodysprays. Additionally, a Purist handshower offers hydrotherapy that targets specific areas of the body. Installed behind the wall, a Fast-Response™ steam generator will help relax your mind and body. A Shower Locker™ eliminates clutter and offers coordinated style.




Unwind Components – Purist®

 <p>K-10121 Rain Showerhead with Contemporary Design Qty. 1</p> <p>Item 1</p>	 <p>K-7396 3" Ceiling-Mount Showerarm and Flange Qty. 1</p> <p>Item 1</p>	 <p>K-14425 Purist Multifunction Showerhead, Arm and Flange Qty. 1</p> <p>Item 2</p>	 <p>K-T14490-4 Purist Volume Control Valve Trim Qty. 4</p> <p>Item 3</p>	 <p>K-671-K 3/4" Volume Control Valve Qty. 4</p> <p>Item 3</p>	 <p>K-8002 WaterTile. 54-Nozzle Bodyspray Qty. 3</p> <p>Item 4</p>	 <p>K-1840 Pilaster™ Shower Locker™</p> <p>Qty. 2</p> <p>Item 7</p>
 <p>K-T14488-4 Purist Thermostatic Valve Trim Qty. 1</p> <p>Item 5</p>	 <p>K-669-KS MasterShower. XVII 3/4" Thermostatic Valve Qty. 1</p> <p>Item 5</p>	 <p>K-973 Stillness. Multifunction Handshower Qty. 1</p> <p>Item 6</p>	 <p>K-9514 MasterShower 60" Metal Shower Hose Qty. 1</p> <p>Item 6</p>	 <p>K-976 Stillness Wall-Mount Supply Elbow Qty. 1</p> <p>Item 6</p>	 <p>K-975 Stillness Adjustable Wall Bracket Qty. 1</p> <p>Item 6</p>	
 <p>K-1647-PC Steam Generator Control Kit Qty. 1</p>	 <p>K-1708* 7 kW Fast-Response™ Steam Generator Qty. 1</p>	<p>* To help you select the appropriate steam generator see the sizing chart on page 23 of the <i>Custom Showering Specification Guide</i> to properly size your system generator.</p>				


Step #1 – Select Your	Product	Quantity	Price
(1) Showerhead	K-	_____	\$ _____
(2) Showerhead	K-	_____	\$ _____
(1) Showerarm	K-	_____	\$ _____
Step #2			
(6) Handshower	K-	_____	\$ _____
(6) Wall bracket	K-	_____	\$ _____
(6) Supply elbow	K-	_____	\$ _____
(6) Shower hose	K-	_____	\$ _____
Step #3			
(4) Bodysprays	K-	_____	\$ _____
	K-	_____	\$ _____
Step #4			
(5) Thermostatic valve	K-	_____	\$ _____
(5) Thermostatic valve trim	K-	_____	\$ _____
(3) Volume control valves	K-	_____	\$ _____
(3) Volume control valve trim	K-	_____	\$ _____
	K-	_____	\$ _____
Step #5			
(7) Shower Locker units	K-	_____	\$ _____
Steam generator control kit	K-	_____	\$ _____
Steam generator	K-	_____	\$ _____

Total \$ _____

Downpour



Created for individuals with fast-paced careers and equally busy lifestyles, the Downpour configuration affords luxurious water delivery that thoroughly drenches the bather. Downpour is comprised of three WaterTile® bodysprays in the ceiling and three in the wall and a Purist® multifunction handshower.



Downpour Components – Purist®

 <p>K-8002 WaterTile® 54-Nozzle Bodyspray Qty. 3</p> <p>Item 1</p>	 <p>K-973 Purist Multifunction Handshower Qty. 1</p> <p>Item 2</p>	 <p>K-9514 MasterShower® 60" Metal Shower Hose Qty. 1</p> <p>Item 2</p>	 <p>K-976 Stillness® Wall-Mount Supply Elbow Qty. 1</p> <p>Item 2</p>	 <p>K-975 Stillness Adjustable Wall Bracket Qty. 1</p> <p>Item 2</p>	 <p>K-1840 Pilaster™ Shower Locker™</p> <p>Qty. 2</p> <p>Item 6</p>
 <p>K-8003 WaterTile® 22-Nozzle Bodyspray Qty. 3</p> <p>Item 3</p>	 <p>K-T14490-3 Purist Volume Control Valve Trim Qty. 3</p> <p>Item 4</p>	 <p>K-671-K 3/4" Volume Control Valve Qty. 3</p> <p>Item 4</p>	 <p>K-T14488-3 Purist Thermostatic Valve Trim Qty. 1</p> <p>Item 5</p>	 <p>K-669-KS MasterShower XVII 3/4" Thermostatic Valve Qty. 1</p> <p>Item 5</p>	

Step #1 – Select Your	Product	Quantity	Price
(2) Handshower	K-	_____	\$ _____
(2) Wall bracket	K-	_____	\$ _____
(2) Supply elbow	K-	_____	\$ _____
(2) Shower hose	K-	_____	\$ _____
Step #2			
(1) Bodysprays	K-	_____	\$ _____
	K-	_____	\$ _____
(3) Bodysprays	K-	_____	\$ _____
	K-	_____	\$ _____
Step #3			
(5) Thermostatic valve	K-	_____	\$ _____
(5) Thermostatic valve trim	K-	_____	\$ _____
(4) Volume control valves	K-	_____	\$ _____
(4) Volume control valve trim	K-	_____	\$ _____
	K-	_____	\$ _____
	K-	_____	\$ _____
Step #4			
(6) Shower Locker units	K-	_____	\$ _____
			Total \$ _____



Envelop



The Envelop configuration features the delightful Forté[®] multifunction showerhead, coordinating Forté handshower and three of the innovative WaterTile[®] bodysprays that, when paired with the handshower and showerhead, envelop the body with sublime hydrotherapy.



Envelop Components – Finial®

 <p>K-10284 Forté. Multifunction Showerhead Qty. 1</p> <p>Item 1</p>	 <p>K-16133 Showerarm Qty. 1</p> <p>Item 1</p>	 <p>K-10286 Forté Multifunction Handshower Qty. 1</p> <p>Item 2</p>	 <p>K-9514 MasterShower. 60" Metal Shower Hose Qty. 1</p> <p>Item 2</p>	 <p>K-355 Forté Supply Elbow Qty. 1</p> <p>Item 2</p>	 <p>K-352 Forté Adjustable Wall-Mount Bracket Qty. 1</p> <p>Item 2</p>	 <p>K-T10290-4 Forté Transfer Valve Trim Qty. 1</p> <p>Item 3</p>
 <p>K-687-K MasterShower 3/4" 3-Way Transfer Valve Qty. 1</p> <p>Item 3</p>	 <p>K-T10277-4 Forté Rite-Temp. Pressure-Balancing Valve Trim Qty. 1</p> <p>Item 4</p>	 <p>K-306-KS HiFlow Rite-Temp Pressure-Balancing Valve Trim Valve Qty. 1</p> <p>Item 4</p>	 <p>K-8002 WaterTile. 54-Nozzle Bodyspray Qty. 3</p> <p>Item 5</p>			

Step #1 – Select Your	Product	Quantity	Price
(1) Showerhead	K-	_____	\$ _____
(1) Showerarm	K-	_____	\$ _____
Step #2			
(2) Handshower	K-	_____	\$ _____
(2) Wall bracket	K-	_____	\$ _____
(2) Supply elbow	K-	_____	\$ _____
(2) Shower hose	K-	_____	\$ _____
Step #3			
(5) Bodysprays	K-	_____	\$ _____
	K-	_____	\$ _____
Step #4			
(4) Pressure-balancing valve	K-	_____	\$ _____
(4) Pressure-balancing valve trim	K-	_____	\$ _____
(3) 3-way transfer valve	K-	_____	\$ _____
(3) Transfer valve trim	K-	_____	\$ _____
Total			\$ _____

Hydro-Massage



The Hydro-Massage custom shower configuration is not for the mild-mannered. Combining a Taboret® multifunction showerhead, a MasterShower® 3-way invigorating handshower and four of the MasterShower® 3-way adjustable bodysprays, this configuration creates an intense complete-body experience. Jump-start your day first thing in the morning or revitalize sore, achy muscles after a long, stressful day.




Hydro-Massage Components

 <p>K-9516 MasterShower. Slide Bar</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>K-9514 MasterShower 60" Metal Shower Hose</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>K-8501 MasterShower 3-Way Invigorating Handshower</p> <p>Qty. 1</p> <p>Item 1</p>	 <p>K-9511 MasterShower Showerarm with Diverter</p> <p>Qty. 1</p> <p>Item 2</p>	 <p>K-966 Taboret. Multifunction Showerhead</p> <p>Qty. 1</p> <p>Item 2</p>	 <p>K-8509 MasterShower 3-Way Adjustable Bodspray</p> <p>Qty. 4</p> <p>Item 3</p>
	 <p>K-T14491-4 Purist. Transfer Valve Trim</p> <p>Qty. 1</p> <p>Item 4</p>	 <p>K-687-K MasterShower 3/4" 3-Way Transfer Valve</p> <p>Qty. 1</p> <p>Item 4</p>	 <p>K-T14423-4 Purist Rite-Temp. Pressure-Balancing Valve Trim</p> <p>Qty. 1</p> <p>Item 5</p>	 <p>K-306-KS HiFlow Rite-Temp. Pressure-Balancing Valve</p> <p>Qty. 1</p> <p>Item 5</p>	


Step #1 – Select Your	Product	Quantity	Price
(2) Showerhead	K-	_____	\$ _____
(2) MasterShower showerarm with diverter	K-	_____	\$ _____
Step #2			
(1) Handshower	K-	_____	\$ _____
(1) Slide bar	K-	_____	\$ _____
(1) Shower hose	K-	_____	\$ _____
Step #3			
(3) Bodsprays	K-	_____	\$ _____
Step #4			
(5) Pressure-balancing valve	K-	_____	\$ _____
(5) Pressure-balancing valve trim	K-	_____	\$ _____
(4) 3-way transfer valve	K-	_____	\$ _____
(4) Transfer valve trim	K-	_____	\$ _____
Total			\$ _____

Design Your Own Custom Shower




Step #1 – Select Your	Product	Quantity	Price	
Showerheads	K-	_____	\$ _____	
	K-	_____	\$ _____	
	Showerarms	K-	_____	\$ _____
		K-	_____	\$ _____
Step #2				
Handshowers	K-	_____	\$ _____	
Slide bars	K-	_____	\$ _____	
Wall brackets	K-	_____	\$ _____	
Supply elbows	K-	_____	\$ _____	
Shower hoses	K-	_____	\$ _____	
Step #3				
Bodysprays	K-	_____	\$ _____	
	K-	_____	\$ _____	
Step #4				
Mixing valves	K-	_____	\$ _____	
Mixing valve trim	K-	_____	\$ _____	
3-way transfer valves	K-	_____	\$ _____	
Transfer valve trim	K-	_____	\$ _____	
Volume control valves	K-	_____	\$ _____	
Volume control valve trim	K-	_____	\$ _____	
Total			\$ _____	

Design Your Own Custom Shower




Step #1 – Select Your	Product	Quantity	Price	
Showerheads	K-	_____	\$ _____	
	K-	_____	\$ _____	
	Showerarms	K-	_____	\$ _____
		K-	_____	\$ _____
Step #2				
Handshowers	K-	_____	\$ _____	
Slide bars	K-	_____	\$ _____	
Wall brackets	K-	_____	\$ _____	
Supply elbows	K-	_____	\$ _____	
Shower hoses	K-	_____	\$ _____	
Step #3				
Bodysprays	K-	_____	\$ _____	
	K-	_____	\$ _____	
Step #4				
Mixing valves	K-	_____	\$ _____	
Mixing valve trim	K-	_____	\$ _____	
3-way transfer valves	K-	_____	\$ _____	
Transfer valve trim	K-	_____	\$ _____	
Volume control valves	K-	_____	\$ _____	
Volume control valve trim	K-	_____	\$ _____	
Total			\$ _____	

Design Your Own Custom Shower



Step #1 – Select Your	Product	Quantity	Price	
Showerheads	K-	_____	\$ _____	
	K-	_____	\$ _____	
	Showerarms	K-	_____	\$ _____
		K-	_____	\$ _____
Step #2				
Handshowers	K-	_____	\$ _____	
Slide bars	K-	_____	\$ _____	
Wall brackets	K-	_____	\$ _____	
Supply elbows	K-	_____	\$ _____	
Shower hoses	K-	_____	\$ _____	
Step #3				
Bodysprays	K-	_____	\$ _____	
	K-	_____	\$ _____	
Step #4				
Mixing valves	K-	_____	\$ _____	
Mixing valve trim	K-	_____	\$ _____	
3-way transfer valves	K-	_____	\$ _____	
Transfer valve trim	K-	_____	\$ _____	
Volume control valves	K-	_____	\$ _____	
Volume control valve trim	K-	_____	\$ _____	
Total			\$ _____	

Design Your Own Custom Shower



Step #1 – Select Your	Product	Quantity	Price	
Showerheads	K-	_____	\$ _____	
	K-	_____	\$ _____	
	Showerarms	K-	_____	\$ _____
		K-	_____	\$ _____
Step #2				
Handshowers	K-	_____	\$ _____	
Slide bars	K-	_____	\$ _____	
Wall brackets	K-	_____	\$ _____	
Supply elbows	K-	_____	\$ _____	
Shower hoses	K-	_____	\$ _____	
Step #3				
Bodysprays	K-	_____	\$ _____	
	K-	_____	\$ _____	
Step #4				
Mixing valves	K-	_____	\$ _____	
Mixing valve trim	K-	_____	\$ _____	
3-way transfer valves	K-	_____	\$ _____	
Transfer valve trim	K-	_____	\$ _____	
Volume control valves	K-	_____	\$ _____	
Volume control valve trim	K-	_____	\$ _____	
Total			\$ _____	

KOHLER.com/customshowering

THE BOLD LOOK
OF **KOHLER**®

Form 1051802-CA 3/08
© 2008 by Kohler Co.
Kohler Co., Kohler, Wisconsin 53044
Printed in U.S.A.
1-800-4-KOHLER
(1-800-456-4537)